



Product Service

Attestation of Conformity

No. E8A 076777 0087 Rev. 01

Holder of Attestation: **Shenzhen Sinexcel Electric Co., Ltd**
Building 6, BaiWangXin
High-tech Industrial Park, Nanshan District
518055 Shenzhen City
PEOPLE'S REPUBLIC OF CHINA

Name of Object: **DC electric vehicle charging station
(DC Electric Vehicle Supply Equipment)**

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 64713203007503

Date, 2024-05-13

(Tony Liu)

Page 1 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. E8A 076777 0087 Rev. 01

Model(s):

SEC1000/60Y-CJ-D, SEC1000/60Y-CJ-P,
 SEC1000/60Y-C-D, SEC1000/60Y-C-P;
 SEC1000/80Y-CJ-D, SEC1000/80Y-CJ-P,
 SEC1000/80Y-CC-D, SEC1000/80Y-CC-P,
 SEC1000/80Y-C-D, SEC1000/80Y-C-P;
 SEC1000/100Y-CJ-D, SEC1000/100Y-CJ-P,
 SEC1000/100Y-CC-D, SEC1000/100Y-CC-P,
 SEC1000/100Y-C-D, SEC1000/100Y-C-P;
 SEC1000/120Y-CJ-D, SEC1000/120Y-CJ-P,
 SEC1000/120Y-CC-D, SEC1000/120Y-CC-P,
 SEC1000/120Y-C-D, SEC1000/120Y-C-P;
 SEC1000/140Y-CJ-D, SEC1000/140Y-CJ-P,
 SEC1000/140Y-CC-D, SEC1000/140Y-CC-P,
 SEC1000/140Y-C-D, SEC1000/140Y-C-P;
 SEC1000/160Y-CJ-D, SEC1000/160Y-CJ-P,
 SEC1000/160Y-CC-D, SEC1000/160Y-CC-P,
 SEC1000/160Y-C-D, SEC1000/160Y-C-P;
 SEC1000/80Y-C-PB, SEC1000/80Y-CC-PB,
 SEC1000/120Y-C-PB, SEC1000/120Y-CC-PB,
 SEC1000/160Y-C-PB, SEC1000/160Y-CC-PB;
 SEC1000/120Y-C-PA, SEC1000/120Y-CC-PA,
 SEC1000/120Y-CJ-PA, SEC1000/120Y-H-PA,
 SEC1000/120Y-HC-PA, SEC1000/120Y-HH-PA,
 SEC1000/120Y-HJ-PA; SEC1000/120Y-C-RA,
 SEC1000/120Y-CC-RA, SEC1000/120Y-CJ-RA,
 SEC1000/120Y-H-RA, SEC1000/120Y-HC-RA,
 SEC1000/120Y-HH-RA, SEC1000/120Y-HJ-RA;
 SEC1000/140Y-C-PA, SEC1000/140Y-CC-PA,
 SEC1000/140Y-CJ-PA, SEC1000/140Y-H-PA,
 SEC1000/140Y-HC-PA, SEC1000/140Y-HH-PA,
 SEC1000/140Y-HJ-PA;
 SEC1000/140Y-C-RA, SEC1000/140Y-CC-RA,
 SEC1000/140Y-CJ-RA, SEC1000/140Y-H-RA,
 SEC1000/140Y-HC-RA, SEC1000/140Y-HH-RA,
 SEC1000/140Y-HJ-RA;
 SEC1000/160Y-C-PA, SEC1000/160Y-CC-PA,
 SEC1000/160Y-CJ-PA, SEC1000/160Y-H-PA,
 SEC1000/160Y-HC-PA, SEC1000/160Y-HH-PA,
 SEC1000/160Y-HJ-PA;
 SEC1000/160Y-C-RA, SEC1000/160Y-CC-RA,
 SEC1000/160Y-CJ-RA, SEC1000/160Y-H-RA,
 SEC1000/160Y-HC-RA, SEC1000/160Y-HH-RA,
 SEC1000/160Y-HJ-RA.

Page 2 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. E8A 076777 0087 Rev. 01

Description of Object:

Rated input voltage (V):	AC380V-400V 50/60Hz 3P+N+PE
Rated input current (A):	Max. 112 A for SEC1000/60Y-CJ-D Max. 112 A for SEC1000/60Y-CJ-P Max. 112 A for SEC1000/60Y-C-D Max. 112 A for SEC1000/60Y-C-P Max. 150 A for SEC1000/80Y-CJ-D Max. 150 A for SEC1000/80Y-CJ-P Max. 150 A for SEC1000/80Y-CC-D Max. 150 A for SEC1000/80Y-CC-P Max. 150 A for SEC1000/80Y-C-D Max. 150 A for SEC1000/80Y-C-P Max. 187 A for SEC1000/100Y-CJ-D Max. 187 A for SEC1000/100Y-CJ-P Max. 187 A for SEC1000/100Y-CC-D Max. 187 A for SEC1000/100Y-CC-P Max. 187 A for SEC1000/100Y-C-D Max. 187 A for SEC1000/100Y-C-P Max. 224 A for SEC1000/120Y-CJ-D Max. 224 A for SEC1000/120Y-CJ-P Max. 224 A for SEC1000/120Y-CC-D Max. 224 A for SEC1000/120Y-CC-P Max. 224 A for SEC1000/120Y-C-D Max. 224 A for SEC1000/120Y-C-P Max. 262 A for SEC1000/140Y-CJ-D Max. 262 A for SEC1000/140Y-CJ-P Max. 262 A for SEC1000/140Y-CC-D Max. 262 A for SEC1000/140Y-CC-P Max. 262 A for SEC1000/140Y-C-D Max. 262 A for SEC1000/140Y-C-P Max. 299 A for SEC1000/160Y-CJ-D Max. 299 A for SEC1000/160Y-CJ-P Max. 299 A for SEC1000/160Y-CC-D Max. 299 A for SEC1000/160Y-CC-P Max. 299 A for SEC1000/160Y-C-D Max. 299 A for SEC1000/160Y-C-P Max. 223 A for SEC1000/120Y-C-PA Max. 223 A for SEC1000/120Y-CC-PA Max. 223 A for SEC1000/120Y-H-PA Max. 223 A for SEC1000/120Y-HC-PA Max. 223 A for SEC1000/120Y-HH-PA Max. 223 A for SEC1000/120Y-HJ-PA Max. 223 A for SEC1000/120Y-CJ-PA Max. 223 A for SEC1000/120Y-C-RA Max. 223 A for SEC1000/120Y-CC-RA Max. 223 A for SEC1000/120Y-H-RA Max. 223 A for SEC1000/120Y-HC-RA

Page 3 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. E8A 076777 0087 Rev. 01

	Max. 223 A for SEC1000/120Y-HH-RA Max. 223 A for SEC1000/120Y-HJ-RA Max. 223 A for SEC1000/120Y-CJ-RA Max. 260 A for SEC1000/140Y-C-PA Max. 260 A for SEC1000/140Y-CC-PA Max. 260 A for SEC1000/140Y-H-PA Max. 260 A for SEC1000/140Y-HC-PA Max. 260 A for SEC1000/140Y-HH-PA Max. 260 A for SEC1000/140Y-HJ-PA Max. 260 A for SEC1000/140Y-CJ-PA Max. 260 A for SEC1000/140Y-C-RA Max. 260 A for SEC1000/140Y-CC-RA Max. 260 A for SEC1000/140Y-H-RA Max. 260 A for SEC1000/140Y-HC-RA Max. 260 A for SEC1000/140Y-HH-RA Max. 260 A for SEC1000/140Y-HJ-RA Max. 260 A for SEC1000/140Y-CJ-RA Max. 297 A for SEC1000/160Y-C-PA Max. 297 A for SEC1000/160Y-CC-PA Max. 297 A for SEC1000/160Y-H-PA Max. 297 A for SEC1000/160Y-HC-PA Max. 297 A for SEC1000/160Y-HH-PA Max. 297 A for SEC1000/160Y-HJ-PA Max. 297 A for SEC1000/160Y-CJ-PA Max. 297 A for SEC1000/160Y-C-RA Max. 297 A for SEC1000/160Y-CC-RA Max. 297 A for SEC1000/160Y-H-RA Max. 297 A for SEC1000/160Y-HC-RA Max. 297 A for SEC1000/160Y-HH-RA Max. 297 A for SEC1000/160Y-HJ-RA Max. 297 A for SEC1000/160Y-CJ-RA Max. 150 A for SEC1000/80Y-C-PB Max. 150 A for SEC1000/80Y-CC-PB Max. 223 A for SEC1000/120Y-C-PB Max. 223 A for SEC1000/120Y-CC-PB Max. 297 A for SEC1000/160Y-C-PB Max. 297 A for SEC1000/160Y-CC-PB
Output voltage (V):	CCS2: 200~1000Vdc CHA: 200~500Vdc HCCS2: 200~1000Vdc
Output current (A):	Max. (CCS2-122A, CHA-61A) for SEC1000/60Y-CJ-D Max. (CCS2-122A, CHA-61A) for SEC1000/60Y-CJ-P Max. (CCS2-183A) for SEC1000/60Y-C-D Max. (CCS2-183A) for SEC1000/60Y-C-P Max. (CCS2-122A, CHA-122A) for SEC1000/80Y-CJ-D Max. (CCS2-122A, CHA-122A) for SEC1000/80Y-CJ-P Max. (CCS2-122A, CCS2-122A) for SEC1000/80Y-CC-D Max. (CCS2-122A, CCS2-122A) for SEC1000/80Y-CC-P

Page 4 of 8

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. E8A 076777 0087 Rev. 01

	<p>Max. (CCS2-200A) for SEC1000/80Y-C-D Max. (CCS2-200A) for SEC1000/80Y-C-P Max. (CCS2-183A, CHA-122A) for SEC1000/100Y-CJ-D Max. (CCS2-183A, CHA-122A) for SEC1000/100Y-CJ-P Max. (CCS2-183A, CCS2-122A) for SEC1000/100Y-CC-D Max. (CCS2-183A, CCS2-122A) for SEC1000/100Y-CC-P Max. (CCS2-200A) for SEC1000/100Y-C-D Max. (CCS2-200A) for SEC1000/100Y-C-P Max. (CCS2-183A, CHA-183A) for SEC1000/120Y-CJ-D Max. (CCS2-183A, CHA-183A) for SEC1000/120Y-CJ-P Max. (CCS2-183A, CCS2-183A) for SEC1000/120Y-CC-D Max. (CCS2-183A, CCS2-183A) for SEC1000/120Y-CC-P Max. (CCS2-200A) for SEC1000/120Y-C-D Max. (CCS2-200A) for SEC1000/120Y-C-P Max. (CCS2-200A, CHA-183A) for SEC1000/140Y-CJ-D Max. (CCS2-200A, CHA-183A) for SEC1000/140Y-CJ-P Max. (CCS2-200A, CCS2-183A) for SEC1000/140Y-CC-D Max. (CCS2-200A, CCS2-183A) for SEC1000/140Y-CC-P Max. (CCS2-200A) for SEC1000/140Y-C-D Max. (CCS2-200A) for SEC1000/140Y-C-P Max. (CCS2-200A, CHA-200A) for SEC1000/160Y-CJ-D Max. (CCS2-200A, CHA-200A) for SEC1000/160Y-CJ-P Max. (CCS2-200A, CCS2-200A) for SEC1000/160Y-CC-D Max. (CCS2-200A, CCS2-200A) for SEC1000/160Y-CC-P Max. (CCS2-200A) for SEC1000/160Y-C-D Max. (CCS2-200A) for SEC1000/160Y-C-P SEC1000/80Y-C-PB: (CCS2 connector: 0-200A) SEC1000/80Y-CC-PB: (CCS2 connector: 0-200A, CCS2 connector: 0-200A) SEC1000/120Y-C-PB: (CCS2 connector: 0-200A) SEC1000/120Y-CC-PB: (CCS2 connector: 0-200A, CCS2 connector: 0-200A) SEC1000/160Y-C-PB: (CCS2 connector: 0-200A) SEC1000/160Y-CC-PB: (CCS2 connector: 0-200A, CCS2 connector: 0-200A) SEC1000/120Y-C-PA, SEC1000/120Y-C-RA: (CCS2 connector: 0-200A) SEC1000/120Y-CC-PA, SEC1000/120Y-CC-RA: (CCS2 connector: 0-200A, CCS2 connector: 0-200A) SEC1000/120Y-CJ-PA, SEC1000/120Y-CJ-RA: (CCS2 connector: 0-200A, CHA connector: 0-125A) SEC1000/120Y-H-PA, SEC1000/120Y-H-RA: (HCCS2 connector: 0-300A) SEC1000/120Y-HC-PA, SEC1000/120Y-HC-RA: (HCCS2 connector: 0-300A, CCS2 connector: 0-200A)</p>
--	---

Page 5 of 8

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. E8A 076777 0087 Rev. 01

	<p>SEC1000/120Y-HH-PA, SEC1000/120Y-HH-RA: (HCCS2 connector: 0-300A, HCCS2 connector: 0-300A)</p> <p>SEC1000/120Y-HJ-PA, SEC1000/120Y-HJ-RA: (HCCS2 connector: 0-300A, CHA connector:0-125A)</p> <p>SEC1000/140Y-C-PA, SEC1000/140Y-C-RA: (CCS2 connector: 0-200A)</p> <p>SEC1000/140Y-CC-PA, SEC1000/140Y-CC-RA: (CCS2 connector: 0-200A, CCS2 connector: 0-200A)</p> <p>SEC1000/140Y-CJ-PA, SEC1000/140Y-CJ-RA: (CCS2 connector: 0-200A, CHA connector:0-125A)</p> <p>SEC1000/140Y-H-PA, SEC1000/140Y-H-RA: (HCCS2 connector: 0-300A)</p> <p>SEC1000/140Y-HC-PA, SEC1000/140Y-HC-RA: (HCCS2 connector: 0-300A, CCS2 connector: 0-200A)</p> <p>SEC1000/140Y-HH-PA, SEC1000/140Y-HH-RA: (HCCS2 connector: 0-300A, HCCS2 connector: 0-300A)</p> <p>SEC1000/140Y-HJ-PA, SEC1000/140Y-HJ-RA: (HCCS2 connector: 0-300A, CHA connector:0-125A)</p> <p>SEC1000/160Y-C-PA, SEC1000/160Y-C-RA: (CCS2 connector: 0-200A)</p> <p>SEC1000/160Y-CC-PA, SEC1000/160Y-CC-RA: (CCS2 connector: 0-200A, CCS2 connector: 0-200A)</p> <p>SEC1000/160Y-CJ-PA, SEC1000/160Y-CJ-RA: (CCS2 connector: 0-200A, CHA connector:0-125A)</p> <p>SEC1000/160Y-H-PA, SEC1000/160Y-H-RA: (HCCS2 connector: 0-300A)</p> <p>SEC1000/160Y-HC-PA, SEC1000/160Y-HC-RA: (HCCS2 connector: 0-300A, CCS2 connector: 0-200A)</p> <p>SEC1000/160Y-HH-PA, SEC1000/160Y-HH-RA: (HCCS2 connector: 0-300A, HCCS2 connector: 0-300A)</p> <p>SEC1000/160Y-HJ-PA, SEC1000/160Y-HJ-RA: (HCCS2 connector: 0-300A, CHA connector:0-125A)</p>
<p>Output power (kW):</p>	<p>Max. 60 kW for SEC1000/60Y-CJ-D</p> <p>Max. 60 kW for SEC1000/60Y-CJ-P</p> <p>Max. 60 kW for SEC1000/60Y-C-D</p> <p>Max. 60 kW for SEC1000/60Y-C-P</p> <p>Max. 80 kW for SEC1000/80Y-CJ-D</p> <p>Max. 80 kW for SEC1000/80Y-CJ-P</p> <p>Max. 80 kW for SEC1000/80Y-CC-D</p> <p>Max. 80 kW for SEC1000/80Y-CC-P</p> <p>Max. 80 kW for SEC1000/80Y-C-D</p> <p>Max. 80 kW for SEC1000/80Y-C-P</p> <p>Max. 100 kW for SEC1000/100Y-CJ-D</p>

Page 6 of 8

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. E8A 076777 0087 Rev. 01

	<p>Max. 100 kW for SEC1000/100Y-CJ-P Max. 100 kW for SEC1000/100Y-CC-D Max. 100 kW for SEC1000/100Y-CC-P Max. 100 kW for SEC1000/100Y-C-D Max. 100 kW for SEC1000/100Y-C-P Max. 120 kW for SEC1000/120Y-CJ-D Max. 120 kW for SEC1000/120Y-CJ-P Max. 120 kW for SEC1000/120Y-CC-D Max. 120 kW for SEC1000/120Y-CC-P Max. 120 kW for SEC1000/120Y-C-D Max. 120 kW for SEC1000/120Y-C-P Max. 140 kW for SEC1000/140Y-CJ-D Max. 140 kW for SEC1000/140Y-CJ-P Max. 140 kW for SEC1000/140Y-CC-D Max. 140 kW for SEC1000/140Y-CC-P Max. 140 kW for SEC1000/140Y-C-D Max. 140 kW for SEC1000/140Y-C-P Max. 160 kW for SEC1000/160Y-CJ-D Max. 160 kW for SEC1000/160Y-CJ-P Max. 160 kW for SEC1000/160Y-CC-D Max. 160 kW for SEC1000/160Y-CC-P Max. 160 kW for SEC1000/160Y-C-D Max. 160 kW for SEC1000/160Y-C-P Max. 120 kW for SEC1000/120Y-C-PA Max. 120 kW for SEC1000/120Y-CC-PA Max. 120 kW for SEC1000/120Y-CJ-PA Max. 120 kW for SEC1000/120Y-H-PA Max. 120 kW for SEC1000/120Y-HC-PA Max. 120 kW for SEC1000/120Y-HH-PA Max. 120 kW for SEC1000/120Y-HJ-PA Max. 120 kW for SEC1000/120Y-C-RA Max. 120 kW for SEC1000/120Y-CC-RA Max. 120 kW for SEC1000/120Y-CJ-RA Max. 120 kW for SEC1000/120Y-H-RA Max. 120 kW for SEC1000/120Y-HC-RA Max. 120 kW for SEC1000/120Y-HH-RA Max. 120 kW for SEC1000/120Y-HJ-RA Max. 140 kW for SEC1000/140Y-C-PA Max. 140 kW for SEC1000/140Y-CC-PA Max. 140 kW for SEC1000/140Y-CJ-PA Max. 140 kW for SEC1000/140Y-H-PA Max. 140 kW for SEC1000/140Y-HC-PA Max. 140 kW for SEC1000/140Y-HH-PA Max. 140 kW for SEC1000/140Y-HJ-PA Max. 140 kW for SEC1000/140Y-C-RA</p>
--	---

Page 7 of 8

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. E8A 076777 0087 Rev. 01

	Max. 140 kW for SEC1000/140Y-CC-RA Max. 140 kW for SEC1000/140Y-CJ-RA Max. 140 kW for SEC1000/140Y-H-RA Max. 140 kW for SEC1000/140Y-HC-RA Max. 140 kW for SEC1000/140Y-HH-RA Max. 140 kW for SEC1000/140Y-HJ-RA Max. 160 kW for SEC1000/160Y-C-PA Max. 160 kW for SEC1000/160Y-CC-PA Max. 160 kW for SEC1000/160Y-CJ-PA Max. 160 kW for SEC1000/160Y-H-PA Max. 160 kW for SEC1000/160Y-HC-PA Max. 160 kW for SEC1000/160Y-HH-PA Max. 160 kW for SEC1000/160Y-HJ-PA Max. 160 kW for SEC1000/160Y-C-RA Max. 160 kW for SEC1000/160Y-CC-RA Max. 160 kW for SEC1000/160Y-CJ-RA Max. 160 kW for SEC1000/160Y-H-RA Max. 160 kW for SEC1000/160Y-HC-RA Max. 160 kW for SEC1000/160Y-HH-RA Max. 160 kW for SEC1000/160Y-HJ-RA Max. 80 kW for SEC1000/80Y-C-PB Max. 80 kW for SEC1000/80Y-CC-PB Max. 120 kW for SEC1000/120Y-C-PB Max. 120 kW for SEC1000/120Y-CC-PB Max. 160 kW for SEC1000/160Y-C-PB Max. 160 kW for SEC1000/160Y-CC-PB
Communication means:	CCS2 (system C)
Protection class:	Class I
Degree of protection:	IP55
Remark: 1. Environments: residential environment. 2. The certificate is only valid if no transmitting radio equipment is included in the device (WiFi, 4G, RFID).	

Tested according to: EN IEC 61851-21-2:2021

Page 8 of 8

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.